



® TECHNICKÝ A ZKUŠEBNÍ ÚSTAV STAVEBNÍ PRAHA, s.p.

Technical and Test Institute for Construction Prague

Akreditovaná zkušební laboratoř, Autorizovaná osoba, Notifikovaná osoba, Certifikační orgán, Inspekční orgán
Accredited Test Laboratory, Authorised Body, Notified Body, Certification Body, Inspection Body
Prosecká 811/76a, 190 00 Praha 9, Czech Republic

EC CERTIFICATE OF FACTORY PRODUCTION CONTROL

No. 1020 – CPD - 030044360

In compliance with Council Directive 89/106/EEC of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to construction products (the Construction Products Directive or CPD), as later amended, it has been stated that the construction product:

Chimneys - Requirements for metal chimneys

Part 1: System chimney products

System chimney products CIKO® PRAKTIK EN 1856-1 T600 H1 W V2 L50060 G30

System chimney products CIKO® PRAKTIK EN 1856-1 T600 H1 W V2 L50100 G30

(with thickness of metal sheets in the flue 0.60 mm respectively 1.00 mm)

placed on the market by

CIKO s.r.o.

294 74 Předměřice nad Jizerou č.p. 15

INo: 267 46 492

and produced in the factory

294 74 Předměřice nad Jizerou č.p. 15

is submitted by the manufacturer to the initial type-testing of the product, a factory production control and to the further testing of samples taken at the factory in accordance with a prescribed test plan and that the notified body No.

1020 - Technical and Test Institute for Construction Prague

has performed the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control.

This certificate attests that all provisions concerning the attestation of factory production control described in Annex ZA of the standard

EN 1856-1:2009

were applied.

This certificate was first issued on **2011-03-25** and remains valid as long as the conditions laid down in the harmonised technical specification in reference or the manufacturing conditions in the factory or the FPC itself are not modified significantly.



Ing. Alexander Trinner
Deputy manager of the Notified Body 1020